

MATH 396 QUIZ III

Due Wednesday, 9 April.

- 1) Compare the sample mean's efficiency to the optimal efficiency obtained from Cramér-Rao for the Poisson distribution.
- 2) An additive is added to tires' rubber compound to improve life. Without the additive the mean life is 32,500 miles. A sample size of 15 obtains an average of 33,800 miles for the tire life. The standard deviation for both measurements is $\sigma = 4000$ miles. Test $H_0 : \mu = 32,500$ against a one-sided alternative at the $\alpha = 0.05$ level.
- 3) A sample of size 16 is drawn from a normal distribution having $\sigma = 6$ for testing $H_0 : \mu = 30$ against $H_1 : \mu \neq 30$. The sample gives a mean of 31. At an $\alpha = 0.05$ level, what do you conclude?
- 4) An arctic weather station has three electronic wind gauges. Only one is used at any given time. The lifetime of each gauge is exponentially distributed (PWT) with a mean of 1000 hours. What is the pdf of Y , the random variable giving the time at which the last windgauge wears out?
- 5) Is it believable that the numbers 65, 30, 55 are a random sample of size 3 from a normal distribution with $\mu = 50$ and $\sigma = 10$? *Hint:* Use χ^2 distribution and put $Z_i = (Y_i - 50)/10$ and use Theorem 7.3.2.